Author Index

Ahlborg, N., Berzins, K. and Perlmann, P. Definition of the epitope recognized by the *Plasmodium falciparum*-reactive human monoclonal antibody 33G2, 89

Alano, P., Premawansa, S., Bruce, M.C. and Carter, R. A stage specific gene expressed at the onset of gametocytogenesis in *Plasmodium falciparum*, 81

Alexander, K. and Parsons, M. A phosphoglycerate kinase-like molecule localized to glycosomal microbodies: evidence that the topogenic signal is not at the C-terminus, 1

Ali, P.O., Simpson, A.J.G., Allen, R., Waters, A.P., Humphries, C.J., Johnston, D.A. and Rollinson, D. Sequence of a small subunit rRNA gene of *Schistosoma mansoni* and its use in phylogenetic analysis, 201

Allen, R., see Ali, P.O., 201

Allen, R., see Jeffs, S.A., 159

Anders, R.F., see Foley, M., 137

Arnold, H.-H., see Günther, K., 149

Balfe, P., see Ranford-Cartwright, L.C., 185

Baltz, T., see Ou, Y.C., 97

Bastien, P., see Blaineau, C., 293

Berzins, K., see Ahlborg, N., 89

Beverley, S.M., see Coburn, C.M., 169

Blaineau, C., Bastien, P., Rioux, J.-A., Roizès, G. and Pagès, M. Long-range restriction maps of size-variable homologous chromosomes in *Leishmania infantum*, 293

Bradley, J.E., Helm, R., Lahaise, M. and Maizels, R.M. cDNA clones of *Onchocerca volvulus* low molecular weight antigens provide immunologically specific diagnostic probes, 219

Bretagne, S., Robert, B., Vidaud, D., Goossens, M. and Houin, R. Structure of the *Echinococcus multilocularis* U1 snRNA gene repeat, 285

Bruce, M.C., see Alano, P., 81

Bzik, D.J., see Li, W.-B., 229

Campbell, S.R., see van Keulen, H., 275

Carter, R., see Alano, P., 81

Carter, R., see Ranford-Cartwright, L.C., 185

Chan, E., see Ruben, L., 123

Chapman, C.J., see Kelly, J.M., 253

Cheng, S.C., see Joshua, G.W.P., 209

Chuang, R.Y., see Joshua, G.W.P., 209

Clark, C.G. and Diamond, L.S. The Laredo strain and other '*Entamoeba histolytica*-like' amoebae are *Entamoeba moshkovskii*, 11

Coburn, C.M., Otteman, K.M., McNeely, T., Turco, S.J. and Beverley, S.M. Stable DNA transfection of a wide range of trypanosomatids, 169

Conraths, F.J., Worms, M.J., Preece, G., Harnett, W. and Parkhouse, R.M.E. Studies on a 14-kilodalton surface protein of *Onchocerca* microfilariae, 103

Correa-Oliveira, R., see Jeffs, S.A., 159

Cross, G.A.M., see Moreno, S.N.J., 265

De Doncker, S., see Liu, J., 53

Deleersnijder, W., Hendrix, D. and Hamers, R. Analysis of MSA–1 diversity in *Plasmodium chabaudi chabaudi* strains (*Short communication*), 315

Diamond, L.S., see Clark, C.G., 11

Dujardin, J.-C., see Liu, J., 53

Erlandsen, S.L., see Van Keulen, H., 275

Evans, D.A., see Kelly, J.M., 253

Fairlamb, A.H., see Hunter, K.J., 35

Foley, M., Tilley, L., Sawyer, W.H. and Anders, R.F. The ring-infected erythrocyte surface antigen of *Plasmodium falciparum* associates with spectrin in the erythrocyte membrane, 137

Fouts, D.L., Ruef, B.J., Ridley, P.T., Wrightsman, R.A., Peterson, D. and Manning, J.E. Nucleotide sequence and transcription of a trypomastigote surface antigen gene of *Trypanosoma cruzi*, 189

Fox, B.A., see Li, W.-B., 229

Franklin, R.M., see Suetterlin, B.W., 113

Gajendran, N., see Liu, J., 53

Giroud, C., see Ou, Y.C., 97

Goman, M., see Günther, K., 149

Goossens, M., see Bretagne, S., 285

Gu, H., see Li, W.-B., 229

Günther, K., Tümmler, M., Arnold, H.-H., Ridley, R., Goman, M., Scaife, J.G. and Lingelbach, K. An exported protein of *Plasmodium falciparum* is synthesized as an integral membrane protein, 149

Hagan, P., see Jeffs, S.A., 159

Haghighat, N.G., see Ruben, L., 123

Hamers, R., see Deleersnijder, W., 315

Hamers, R., see Liu, J., 53

Harnett, W., see Conraths, F.J., 103

Helm, R., see Bradley, J.E., 219

Hendrix, D., see Deleersnijder, W., 315

Hines, S.A., see Suarez, C.E., 45

Houin, R., see Bretagne, S., 285

Humphries, C.J., see Ali, P.O., 201

Hunter, K.J., Strobos, C.A.M. and Fairlamb, A.H. Inhibition of polyamine biosynthesis in *Crithidia fasciculata* by D,L-α-difluoromethylornithine and D,L-α-difluromethylarginine, 35

Inselburg, J., see Li, W.-B., 229

Ip, H.S., see Moreno, S.N.J., 265

Jacquet, D., see Liu, J., 53

Jarroll, E.L., see Van Keulen, H., 275

Jasmer, D.P., see Suarez, C.E., 45

Jeffs, S.A., Hagan, P., Allen, R., Correa-Oliveira, R., Smithers, S.R. and Simpson, A.J.G. Molecular cloning and characterisation of the 22-kilodalton adult *Schistosoma mansoni* antigen recognised by antibodies from mice protectively vaccinated with isolated tegumental surface membranes, 159

Jennings, M.W., see Robson, K.J.H., 19

Johnson, P.J., see Lahti, C.J., 307

Johnston, D.A., see Ali, P.O., 201

Jones, D.A.C., Riley, J., Kerby, N.W. and Knox, D.P. Isolation and preliminary characterization of a 48-kDa metalloproteinase from the excretory/secretory components of the frontal glands of *Porocephalus* pentastomids, 61

Joshua, G.W.P., Chuang, R.Y., Cheng, S.C., Lin, S.F., Tuan, R.S. and Wang, C.C. The spliced leader gene of *Angiostrongylus cantonensis*, 209

Kappes, B., see Suetterlin, B.W., 113
Kaslow, D.C., see Moelans, I.I.M.D., 311
Kelly, J.M., Law, J.M., Chapman, C.J., Van Eys, G.J.J.M. and Evans, D.A. Evidence of genetic recombination in *Leishmania*, 253
Kerby, N.W., see Jones, D.A.C., 61
Klaassen, C.H.W., see Moelans, I.I.M.D., 311
Knapp, B., see Nolte, D., 319
Knox, D.P., see Jones, D.A.C., 61
Konings, R.N.H., see Moelans, I.I.M.D., 311

Lahaise, M., see Bradley, J.E., 219
Lahti, C.J. and Johnson, P.J. *Trichomonas vaginalis* hydrogenosomal proteins are synthesized on free polyribosomes and may undergo processing upon maturation (*Short communication*), 307
Law, J.M., see Kelly, J.M., 253
Le Ray, D., see Liu, J., 53
Li, W.-B., Bzik, D.J., Tanaka, M., Gu, H., Fox, B.A. and Inselburg, J. Characterization of the gene encoding the largest subunit of *Plasmodium falciparum* RNA polymerase III, 229
Lin, S.F., see Joshua, G.W.P., 209
Lingelbach, K., see Günther, K., 149
Liu, J., Gajendran, N., Muthui, D., Muyldermans, S., Dujardin, J.-C., De Doncker, S., Jacquet, D., Le Ray, D., Mathieu-Daudé, F. and Hamers, R. Chromosome rearrangement in *Leishmania mexicana* M379, 53

Maizels, R.M., see Bradley, J.E., 219
Manning, J.E., see Fouts, D.L., 189
Mathieu-Daude, F., see Liu, J., 53
McElwain, T.F., see Suarez, C.E., 45
McNeely, T., see Coburn, C.M., 169
Moelans, I.I.M.D., Klaassen, C.H.W., Kaslow, D.C., Konings, R.N.H. and Schoenmakers, J.G.G. Minimal variation in Pfs16, a novel protein located in the membrane of gametes and sporozoites of *Plasmodium falciparum* (*Short communication*), 311
Moreno, S.N.J., Ip, H.S. and Cross, G.A.M. An mRNA-dependent in vitro translation system from *Trypanosoma brucei*, 265
Muthui, D., see Liu, J., 53
Muyldermans, S., see Liu, J., 53

Nolte, D. and Knapp, B. Partial sequences of three new asparagine-rich blood stage proteins of *Plasmodium falciparum* (*Short communication*), 319

Ortega-Barria, E., see Rosenberg, I., 303
Otteman, K.M., see Coburn, C.M., 169
Ou, Y.C., Giroud, C. and Baltz, T. Kinetoplast DNA analysis of four *Trypanosoma evansi* strains, 97

Pagès, M., see Blaineau, C., 293
Palmer, G.H., see Suarez, C.E., 45
Parkhouse, R.M.E., see Conraths, F.J., 103
Parsons, M., see Alexander, K., 1
Pays, E., see Revelard, P., 241
Pereira, M.E.A., see Rosenberg, I., 303
Perlmann, P., see Ahlborg, N., 89
Perryman, L.E., see Suarez, C.E., 45
Peterson, D., see Fouts, D.L., 189
Preece, G., see Conraths, F.J., 103
Premawansa, S., see Alano, P., 81
Prioli, R.P., see Rosenberg, I., 303

Ranford-Cartwright, L.C., Balfe, P., Carter, R. and Walliker, D. Direct sequencing of enzymatically amplified DNA of alleles of the merozoite surface antigen MSA–1 gene form the malaria parasite *Plasmodium falciparum* (*Short communication*), 185
Revelard, P. and Pays, E. Structure and transcription of a P-ATPase gene from *Trypanosoma brucei*, 241
Ridgley, E.L., see Ruben, L., 123
Ridley, P.T., see Fouts, D.L., 189
Ridley, R., see Günther, K., 149
Riley, J., see Jones, D.A.C., 61
Rioux, J.-A., see Blaineau, C., 293
Robert, B., see Bretagne, S., 285
Robson, K.J.H. and Jennings, M.W. The structure of the calmodulin gene of *Plasmodium falciparum*, 19
Roizès, G., see Blaineau, C., 293
Rollinson, D., see Ali, P.O.O., 201
Rosenberg, I., Prioli, R.P., Ortega-Barria, E. and Pereira, M.E.A. Stage-specific phospholipase C-mediated release of *Trypanosoma cruzi* neuraminidase (*Short communication*), 303
Ruben, L., Ridgley, E.L., Haghighat, N.G. and Chan, E. Variant surface glycoprotein from *Trypanosoma brucei* clone YTat1.1 contains a latent calmodulin-binding domain, 123
Ruef, B.J., see Fouts, D.L., 189

Sauma, S.Y., Tanaka, T.M. and Strand, M. Selective release of a glycosylphosphatidylinositol-anchored antigen from the surface of *Schistosoma mansoni*, 73
Sawyer, W.H., see Foley, M., 137
Scaife, J.G., see Günther, K., 149
Schoenmakers, J.G.G., see Moelans, I.I.M.D., 311
Simpson, A.J.G., see Ali, P.O.O., 201
Simpson, A.J.G., see Jeffs, S.A., 159
Smithers, S.R., see Jeffs, S.A., 159
Strand, M., see Sauma, S.Y., 73
Strobos, C.A.M., see Hunter, K.J., 35
Suarez, C.E., Palmer, G.H., Jasmer, D.P., Hines, S.A., Perryman, L.E. and McElwain, T.F. Characterization of the gene encoding a 60-kilodalton *Babesia bovis* merozoite protein with conserved and surface exposed epitopes, 45
Suetterlin, B.W., Kappes, B. and Franklin, R.M. Localization and stage specific phosphorylation of *Plasmodium falciparum* phosphoproteins during the intraerythrocytic cycle, 113

Tanaka, M., see Li, W.-B., 229
Tanaka, T.M., see Sauma, S.Y., 73
Tielens, A.G.M., Van de Pas, F.A.M., Van den Heuvel, J.M. and Van den Bergh, S.G. The aerobic energy metabolism of *Schistosoma mansoni* miracidia (*Short communication*), 181
Tilley, L., see Foley, M., 137
Tuan, R.S., see Joshua, G.W.P., 209
Turco, S.J., see Coburn, C.M., 169
Tümmler, M., see Günther, K., 149

Van de Pas, F.A.M., see Tielens, A.G.M., 181
Van den Bergh, S.G., see Tielens, A.G.M., 181
Van den Heuvel, J.M., see Tielens, A.G.M., 181
Van Eys, G.J.J.M., see Kelly, J.M., 253
Van Keulen, H., Campbell, S.R., Erlandsen, S.L. and Jarroll, E.L. Cloning and restriction enzyme mapping of ribosomal DNA of *Giardia duodenalis*, *Giardia ardeae* and *Giardia muris*, 275
Vidaud, D., see Bretagne, S., 285

Walliker, D., see Ranford-Cartwright, L.C., 185
Wang, C.C., see Joshua, G.W.P., 209
Waters, A.P., see Ali, P.O.O., 201
Worms, M.J., see Conraths, F.J., 103
Wrightsman, R.A., see Fouts, D.L., 189

Subject Index

Aerobic energy metabolism, 181
Angiostrongylus cantonensis, 209
ATPase gene, 241

Babesia bovis, 45
Binding assay, 137

Calmodulin binding, 123
Calmodulin, 19
cDNA library, 45
Chemotherapy, 73
Chromosomal rearrangement, 293
Chromosome mapping, 293
Chromosome rearrangement, 53
Circular extrachromosomal element, 53
Circularisation, 53

Diagnosis, 219
α-Difluoromethylarginine, 35
α-Difluoromethylornithine, 35
DNA fingerprinting, 253
DNA sequence, 1
DNA sequence, 45
Drug/antibody synergy, 73

Echinococcus multilocularis, 285
Entamoeba histolytica, 11
Entamoeba moshkovskii, 11
Excretory-secretory component, 61
Expression, 159
Expression, 229

Gametocytogenesis, 81
Gene expression, 241
Gene structure, 19
Genetic exchange, 253
Genomic DNA cloning, 229
Giardia ardeae, 275
Giardia duodenalis, 275
Giardia muris, 275
Glycophosphatidylinositol anchorage, 303
Glycosome, 1
Glycosylation, 265
Glycosylphosphatidylinositol anchored protein, 73

Homologous recombination, 1

Immunomodulation, 61
In vitro system, 265
Intracellular transport, 149

Leishmania mexicana M379, 53
Leishmania, 253
Leishmania, 293
Linearisation, 53

Malaria, 113
Membrane protein, 149
Microbody, 1
Miracidium, 181
Molecular cloning, 159

Nucleotide and amino acid sequence, 229

Onchocerciasis, 219

Pentastomid, 61
Phosphatidylinositol-specific phospholipase C, 73
Phosphoglycerate kinase, 1
Phospholipase C, 303
Phosphoprotein, 113
Phylogeny, 201
Plasmodium falciparum, 19, 81, 113, 137, 149, 229
Ploidy, 253
Polyamine, 35
Polymerase chain reaction, 11
Porocephalus clavatus, 61
Porocephalus crotali, 61
Praziquantel, 73
Protease, 61
Protective immunity, 159
Protein processing, 265
Protein purification, 61
Protein synthesis, 265
Protozoan parasite, 275
Pulsed field gel electrophoresis, 293

Recombinant peptide, 219
Recombinant protein, 45
Riboprinting, 11
Ribosomal RNA gene, 11, 275
Ring-infected erythrocyte surface antigen, 137
RNA polymerase III, 229
18S rRNA, 201

Schistosoma, 159
Schistosoma mansoni, 181, 201
Schistosomiasis, 73
Secretion, 149
Segment-specific antibodies, 149
Sexual differentiation, 81
Small subunit rRNA, 201
Species specificity, 159
Spectrin, 137
Spliced leader, 209
Stage specific transcription, 81
Surface antigen, 159
Surface exposed eptitopes, 45

Taxonomy, 11
Trans-splicing, 209

Transfection, 169
Trypanosoma brucei, 1, 123, 265
Trypanosoma cruzi, 189
Trypanosoma cruzi neuraminidase, 303
Trypanosomatid, 169
Trypanosomatid, 35
Trypanosome, 241
Trypanothione, 35
Trypomastigote surface antigen gene, 189

U1 snRNA gene, 285

Vaccine, 159
Variant surface glycoprotein, 123
Vector pR-NEO, 169